



VitroView™ Alcian Blue Stain Kit SKU#: VB-3003

Description: This kit is designed to stain formalin fixed, paraffin embedded tissue sections and may be used for frozen sections as well. Alcian blue stains acid mucosubstances and acetic mucins. Excessive amounts of non-sulfated acidic mucosubstances are seen in mesotheliomas, certain amounts occur normally in blood vessel walls but increase in early lesions of atherosclerosis. Strongly acidic mucosubstances will be stained blue, nuclei will be stained pink to red, and cytoplasm will be stained pale pink.

Kit Contents:

- VB-3003-1 Alcian Blue Solution (pH2.5) - 250 ml
- VB-3003-2 Nuclear Fast Red Solution -----250 ml

Storage

Room temperature.

Protocol:

1. Deparaffinize in Xylene I for 6 minutes and II for 6 minutes.
2. Rehydrate
 - a. Ethanol 100% (2 minutes)
 - b. Ethanol 100% (2 minutes)
 - c. Ethanol 95% (2 minutes)
 - d. Ethanol 95% (2 minutes)
 - e. Ethanol 70% (2 minutes)
3. Rinse in distilled water (5 minutes).
4. Stain in alcian blue solution for 30 minutes.
5. Wash in running tap water for 2 minutes.
6. Rinse in distilled water.
7. Counterstain in nuclear fast red solution for 5 minutes.
8. Wash in running tap water for 1 minute.
9. Dehydrate with 3 changes of 95% Ethanol and 2 changes of 100% Ethanol (2 minute per change).
10. Clear with 3 changes of xylene (5 minute per change)
11. Mount coverslip onto glass slide with Permount or some other suitable organic mounting medium.

RESULTS:

Strongly acidic sulfated mucosubstances -----blue
Nuclei ----- pink to red
Cytoplasm ----- pale pink

Positive Controls:

Small intestine, appendix, or colon.

Note: This product is intended for research purposes only. This product is not intended to be used for therapeutic or diagnostic purposes in humans or animals.

Precautions: Handle with care. Avoid contact with eyes, skin and clothing. Do not ingest. Wear gloves.